

This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

Adresse	Salgglas Zrt Budapesti 29 3104 Salgotarjan (Nograd)
Pays	Hongrie
Téléphone	0036 32 440 655
Télécopie	0036 32 440 168
Internet	www.salgglas.hu
Employées	380
Chiffre d'affaires	11.000.000
Certificats	ISO 9001:2000, ISO/TS 16949:1999, ISO/TS 16949:2002
Année de fondation	1996

CORRESPONDANTS

Contact 1.	M. Balázs Kállai CEO Phone: 0036 32 440 655 Fax: 0036 32 440 168
Contact 2.	M. Janos Kövi Head of purchasing
Contact 3.	M. Gyula Gaal Managing Director Phone: 0036 32 440 655 Fax: 0036 32 440 474
Contact 4.	M. Zsido Commercial and Quality Assurance Director Phone: 0036 32 440 655 Fax: 0036 32 440 168

PRODUITS OU MACHINES

LAMINATED SAFETY GLASS

Two- or more-layer glass structure the sheets of which are held together with high tear resistance, flexible PVB foil.

If broken, the glass sheet is held together by the internal foil, preventing the fragments from causing injuries. This kind of glass is made in flat and bent construction, with or without screen-printing.

Major physical parameters:

Bending and breaking strength: 30-40 MN/m²

Penetration strength: 85 N mm

Heat resistance: max. 100°C, max. of 120 min.

Depending on the number of layers, foil thickness, glass thickness and the symmetry of the compound..

Available dimensions:

Thickness of glass: 4 - 33 mm

Smallest: 200 x 400 mm

Largest:

1605 x 2000 mm (flat)

1610 x 2500 mm (bent)

Possible areas of application:

Windscreens for motor vehicles, heavy machinery and railways cars; for architectural purposes (inner and outer glass), furniture, as well as for table sheets.

Anti-burglary and bullet-proof glasses (DIN 52290)

TEMPERED SAFETY GLASS

One-layer glass in which a tension structure is generated by heat treatment. As a result, mechanical strength increases six to eight-fold, while thermal resistance also improves.

When broken, it fragments into tiny pieces which do not cause injuries.

This kind of glass comes in flat and bent construction, with or without screen-printing.

Available in the following dimensions:

FLAT GLASSES

Thickness of glass: 3 - 12 mm

Smallest: 100 x 200 mm

Largest:

1240 x 2400 mm

Available in the following dimensions:

BENT GLASS

Thickness of glass: 3 - 6 (8)mm

Smallest: 100 x 200 mm

Largest: 1200 x 1800 mm

Possible areas of applications:

For side- and rear windows of cars and trucks, as well as front windscreens of heavy machinery, windows for household appliances, for furniture and for architectural purposes.

HISTOIRE DE L'ENTREPRISE

SALGGLAS is the largest vehicle-industrial glass manufacturer of Hungary.

110 years of experience in the area of glass production.

Our product is tempered and glued safety glass.

Burglar-proof, hurl-proof and bullet-proof glass.

Company Profile of **Salgglas Zrt**

A service of glasssglobal.com, an affiliate of glasssglobal group.

Les informations publiées sur ce document sont soumises au droit d'auteur et appartiennent à la société en question resp. à la source des adresses. Tous les droits sont réservés expressément. N'importe quel utilisateur qui accède à un tel matériel peut faire ainsi seulement pour sa propre utilisation personnelle, et l'usage d'un tel matériel est au risque unique de l'utilisateur. La redistribution ou toute autre exploitation commerciale des adresses est expressément interdite. Là où une adresse est fournie par un tiers, chaque utilisateur accepte d'observer et être lié par les limites spécifiques de l'utilisation. Glass Global ne représente ou n'approuve pas l'exactitude ou la fiabilité d'aucune des informations citées dans les adresses ou pages externes auxquelles l'on se réfère ici. www.glasssglobal.com - The International Portal to the Glass Industry - OGIS GmbH