



This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

Adresse	PhoenixTM GmbH
	Zum Rehmer Eck 22
	32547 Bad Oeynhausen

Pays

Allemagne

PRODUITS OU MACHINES

PhoenixTM Thermocouples

All Phoenix TM thermocouples are manufactured to the highest quality standards and conform to the ANSI 96.1 special limits specification. The insulation material and the plug terminations are color coded to conform to the IEC584 standard.

For low temperature applications (up to 250°C) such as paint and powder coat curing in the finishing industry, various types of thermocouples are available; these include magnetic fixing for steel substrates and clamp fixings for non ferrous surfaces. Air and surface thermocouples are available in both magnetic and clamp type probes.

The thermocouple construction is designed to withstand rough handling, the type K, PTFE insulated wires are triple wrapped with stainless steel braid, and have a final overall PTFE insulation

Heavy duty exposed junction thermocouples with PTFE insulation are also available in the low temperature range.

Thermocouples for the finishing industry have a unique design of removable sensor (magnetic and clamp) so that when the insulated cable wears, it can be replaced without the need to buy a complete assembly. This results in high potential savings.

For high temperature applications (up to 1300°C) PhoenixTM supply a range of Inconel and Nicrobel sheathed, mineral insulated, thermocouples terminated with a high temperature miniature plug. These thermocouples have an insulated hot junction to ensure maximum protection against electrical interference from heating elements within the furnace.

Diameters of the mineral insulated thermocouples range from 1.6mm - for general purpose heat treatment applications to 3.0mm for slab and billet reheat applications

Glass, aluminium, and steel heat treatment process

Glass, aluminium, and steel heat treatment process - temperature monitoring system

Developed for heat treatment processes up to 800°C the PhoenixTM General Purpose Furnace Profiling System is perfect for applications such as windscreen bending, glass container annealing, steel spring tempering, aluminium brazing, etc. in the aluminium, glass, steel, and general heat treatment industries.

In windscreen manufacturing plants the system can also be used to monitor temperatures in autoclaves where pressure and temperature are used to laminate the layers of glass and plastic.

When manufacturing springs for automobile suspension units, this system is often used in the tempering furnace to ensure that the correct degree of temper is achieved.

The General Purpose Furnace Profiling System combines the TS01-125-1 thermal barrier, the PTM1-010 data logger, PhoenixTM Thermal View Plus software, and an RF telemetry option, together with a range of PhoenixTM mineral insulated thermocouples to give a robust, accurate, system which is ideal for everyday usage in many industrial heat treatment processes.

Company Profile of PhoenixTM GmbH

A service of glassglobal.com, an affiliate of glassglobal group.

Les informations publiées sur ce document sont soumises au droit d'auteur et appartiennent à la société en question resp. à la source des addresses. Tous les droits sont réservés expressément. N'importe quel utilisateur qui accède à un tel matériel peut faire ainsi seulement pour sa propre utilisation personnelle, et l'usage d'un tel matériel est au risque unique de l'utilisateur. La redistribution ou toute autre exploitation commerciale des addresses est expressément interdite. Là où une addresse est fournie par un tiers, chaque utilisateur





accepte d'observer et être lié par les limites spécifiques de l'utilisation. Glass Global ne représente ou n'approuve pas l'exactitude ou la fiabilité d'aucune des informations citées dans les adresses ou pages externes auxquelles l'on se réfère ici.www.glassglobal.com - The International Portal to the Glass Industry - OGIS GmbH