

This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

|         |                                                                             |
|---------|-----------------------------------------------------------------------------|
| Adresse | <b>KVG Enterprises Pvt. Ltd.</b><br>B-43, Sector -2<br>U.P.<br>201301 Noida |
| Pays    | Indie                                                                       |

## PRODUITS OU MACHINES

We are a leading supplier of Container Glass Moulds, Spares Parts and Variables for IS machines.

### **MACHINE CENTRE - 4¼" D.G. Machine :-**

#### **A. Inserts:**

- I. Dia 4?" Centre Mounted Standard
- II. Dia 4?" Centre Mounted 1½" Off set
- III. Dia 3" Centre Mounted Standard
- IV. Dia 3?" Centre Mounted Standard
- V. Dia 3<sup>7</sup>/<sub>8</sub>" Centre Mounted Standard
- VI. Dia 4?" Upper for Double Deck
- VII. Dia 5" Lower for Double Deck

#### **B. Mold Holder:**

- I. 4¼" DG

#### **C. 4¼" D.G. 70mm Neck Ring Arms**

#### **D. 4¼" D.G. Funnel Arms Quick Change type**

- I. Dia 3¼"
- II. Dia 3½"

#### **E. 4¼" D.G. Light Weight Blow Head Arm (Fabricated).**

#### **F. Quick Change Cartridge for Take Out Tong**

### **MACHINE CENTRE - 4¼" S.G. Machine :-**

#### **A. Inserts:**

- I. Dia 4?" Centre Mounted Standard
- II. Dia 3?" Centre Mounted Standard
- III. Dia 3?" Centre Mounted Standard
- IV. Dia 3" Centre Mounted Standard

#### **B. Mold Holder – No. 2, 3 and 4**

#### **C. Neck Ring Arm – Standard & Offset**

**MACHINE CENTRE - 5" D.G. Machine :-**

**A. Inserts:**

- I. Dia 4?" Upper Insert
- II. Dia 5?" Upper Insert (scissor and non scissor)
- III. Dia 5?" Lower Insert (scissor and non scissor reversible type)
- IV. Dia 6" Lower Insert (scissor and non scissor reversible type)
- V. Dia 4?" Centre Mounted.
- VI. Dia 4?" Insert Centre Mounted 1½" Offset.

**B. Mold Holders (scissor and non scissor type):**

- I. No. 1 Blow & Blank (Emhart and Maul type)
- II. No. 2 Blow & Blank (Emhart and Maul type)
- III. No. 3 Blow & Blank (Emhart and Maul type)

**C. Neck Ring Arms:**

- I. 70mm Straight Type
- II. 70mm Off set Type

**D. Funnel Arm Quick Change Type:**

- I. Dia 3¼"
- II. Dia 3½"

**E. Light Weight Blow Head Arm (Fabricated)**

**MACHINE CENTRE - 3" T.G. Machine :-**

**A. Neck Ring Arm - 76mm & 3" T.G. Neck Ring Arm**

**SPARES :-**

- A. **Z - Type Connecting Link**
- B. **Connecting Link (CTR 2", 2¹/32", 2¹/16", 2?)**
- C. **Link Pins**
- D. **Insert Pins**
- E. **Mold Holder Bushes**
- F. **Mold Holder Thrust Washers**
- G. **Neck Ring Holder T Lock and Knobs**
- H. **Shoulder Screw**
- I. **Floating Pins**
- J. **Mold Holder Mounting Parts**
- K. **08 Type Lock Ring**
- L. **Y - Link**
- M. **Distributor Plates**
- N. **Spacer Rings**

- O. **Tong Head Cartridge**
  
- A. **S.G. Funnel Ring Arm for 4¼" machine**
- B. **4¼" & 5" Baffle Arms**
- C. **4¼" & 5" Blow Head Arms**
- D. **Take Out Tong Head**

Company Profile of **KVG Enterprises Pvt. Ltd.**

A service of glasssglobal.com, an affiliate of glasssglobal group.

Les informations publiées sur ce document sont soumises au droit d'auteur et appartiennent à la société en question resp. à la source des adresses. Tous les droits sont réservés expressément. N'importe quel utilisateur qui accède à un tel matériel peut faire ainsi seulement pour sa propre utilisation personnelle, et l'usage d'un tel matériel est au risque unique de l'utilisateur. La redistribution ou toute autre exploitation commerciale des adresses est expressément interdite. Là où une adresse est fournie par un tiers, chaque utilisateur accepte d'observer et être lié par les limites spécifiques de l'utilisation. Glass Global ne représente ou n'approuve pas l'exactitude ou la fiabilité d'aucune des informations citées dans les adresses ou pages externes auxquelles l'on se réfère ici. [www.glasssglobal.com](http://www.glasssglobal.com) - The International Portal to the Glass Industry - OGIS GmbH