

This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

---

Adresse **Vasiliou Glass Technologies**  
28th of October St., Vasiliko  
34002 Chalkis

---

Pays Grèce

## PRODUITS OU MACHINES

Standard Glass  
Noise Reduction  
Design and Decoration  
Protection and Safety  
Structural  
Energy  
Marine  
Special Glazing

Details: <http://www.vasglass.gr/en/content/product-range>

VAS "VASILIOU GLASS TECHNOLOGIES", a company fully compliant with the current European framework and norms, maintains a thorough and well-documented Factory Production Control system, while operating within two distinct appraisal systems, differentiated by the level of involvement of notified-body organizations in each one of them.

Specifically, VAS "VASILIOU GLASS TECHNOLOGIES" operates under the following systems:

### System 1:

An independent third-party (notified body) a) determines the product-type and issues the product's Certificate of Constancy of Performance, which includes all relevant technical documentation and b) performs continuous monitoring, and evaluation of the Factory Production Control system.

### System 3:

An independent third-party (notified body) specifies product-type on the basis of type-testing. The manufacturer implements and monitors the Factory Production Control System.

### CE TEMPERED GLASS ACCORDING TO EN 12150

TYPE - Clear Float  
TYPE - B1  $\mu\epsilon > 0.25$  Coated Low-emissivity  
TYPE - B2  $\mu\epsilon > 0.1$  Coated Low-emissivity  
TYPE - B3  $\mu\epsilon > 0.1$  Coated Low-emissivity  
TYPE - Patterned

### CE TEMPERED GLASS ACCORDING TO EN 12150 AND EN 12600 (PENDULUM TEST)

TYPE - Clear Float  
TYPE - B1  $\mu\epsilon > 0.25$  Coated Low-emissivity  
TYPE - B2  $\mu\epsilon > 0.1$  Coated Low-emissivity  
TYPE - B3  $\mu\epsilon > 0.1$  Coated Low-emissivity  
TYPE - Patterned

### CE HEAT STRENGTHENED GLASS ACCORDING TO EN 1863

TYPE - Clear Float

### CE TEMPERED GLASS ACCORDING TO EN 12150 AND HEAT SOAK TEST TREATMENT ACCORDING TO EN 14179

TYPE - Clear Float  
TYPE - B1  $\mu\epsilon > 0.25$  Coated Low-emissivity  
TYPE - B2  $\mu\epsilon > 0.1$  Coated Low-emissivity

TYPE - B3  $\mu\epsilon$  0.1>e Coated Low-emissivity  
TYPE - Patterned

**CE LAMINATE SAFETY GLASS ACCORDING TO EN 14449 and EN 12543, PVB**

EN12600 (Pendulum Test)  
EN356A (P1A, P2A, P3A, P4A, P5A)  
EN356B (P6B, P7B, P8B)  
EN1063 (BR1S/NS, BR2S/NS, BR3S/NS, BR4S/NS, BR5S/NS, BR6S/NS, BR7S/NS)

**CE LAMINATE SAFETY GLASS ACCORDING TO EN 14449 and EN 12543, SGP**

EN12600 (Pendulum Test)  
EN356A (P1A, P2A, P3A, P4A, P5A)  
EN356B (P6B, P7B, P8B)  
EN1063 (BR1S/NS, BR2S/NS, BR3S/NS, BR4S/NS, BR5S/NS, BR6S/NS, BR7S/NS)



**CE LAMINATE SAFETY GLASS ACCORDING TO EN 14449 and EN 12543, DG41**

EN12600 (Pendulum Test)  
EN356A (P1A, P2A, P3A, P4A, P5A)  
EN356B (P6B, P7B, P8B)  
EN1063 (BR1S/NS, BR2S/NS, BR3S/NS, BR4S/NS, BR5S/NS, BR6S/NS, BR7S/NS)

**CE LAMINATE SAFETY GLASS ACCORDING TO EN 14449 and EN 12543, TPU+PC**

EN12600 (Pendulum Test)  
EN356A (P1A, P2A, P3A, P4A, P5A)  
EN356B (P6B, P7B, P8B)  
EN1063 (BR1S/NS, BR2S/NS, BR3S/NS, BR4S/NS, BR5S/NS, BR6S/NS, BR7S/NS)

**CE LAMINATE SAFETY GLASS ACCORDING TO EN 14449 and EN 12543, ACOUSTIC**

EN12600 (Pendulum Test)  
EN356A (P1A, P2A, P3A, P4A, P5A)

**CE LAMINATE SAFETY GLASS ACCORDING TO EN 14449 and EN 12543, SG41**

EN12600 (Pendulum Test)  
EN356A (P1A, P2A, P3A, P4A, P5A)

**CE INSULATING GLASS ACCORDING TO EN 1279**

Moisture penetration (EN1279-2)  
Gas concentration and gas leak rate (EN1279-3)

Company Profile of **Vasiliou Glass Technologies**

A service of glassglobal.com, an affiliate of glassglobal group.

Les informations publiées sur ce document sont soumises au droit d'auteur et appartiennent à la société en question resp. à la source des adresses. Tous les droits sont réservés expressément. N'importe quel utilisateur qui accède à un tel matériel peut faire ainsi seulement pour sa propre utilisation personnelle, et l'usage d'un tel matériel est au risque unique de l'utilisateur. La redistribution ou toute autre exploitation commerciale des adresses est expressément interdite. Là où une adresse est fournie par un tiers, chaque utilisateur

accepte d'observer et être lié par les limites spécifiques de l'utilisation. Glass Global ne représente ou n'approuve pas l'exactitude ou la fiabilité d'aucune des informations citées dans les adresses ou pages externes auxquelles l'on se réfère ici. [www.glassglobal.com](http://www.glassglobal.com) - The International Portal to the Glass Industry - OGIS GmbH